

Stoncrete



COLOR BODY PORCELAIN TILE



GRES PORCELLANATO COLORATO IN MASSA / GRÈS CÉRAMÉ TEINTÉ DANS LA MASSE / EINGEFÄRBTES FEINSTEINZEUG
GRES PORCELÁNICO COLOREADO EN MASA / КЕРАМОГРАНИТ ОКРАШЕННЫЙ В МАССЕ / 彩色通体瓷质砖

CONFORME / ACCORDING TO / CONFORME / KONFORM / CONFORME / СООТВЕТСТВУЕТ / 合格
UNI EN 14411 - G Bla



FORMATI


SIZES / FORMATS / FORMATE / FORMATOS / ФОРМАТЫ / 规格



Stoncrete



STCR 12G RM - STCR 12AG RM



STCR 90G RM

Stoncrete



STCR2 90AG RM




STCR 90AG RM



Stone





STCR1 12DG RM



STCR 12DG RM






STCR DK12CG
60X120-24"X48"






TITANIO L0,5X15 Δ 4

OTTONE L0,5X15 Δ 4

RAME L0,5X15 Δ 4



STCR DK36CG
30X60-12"X24"




STCR DK12AG
60X120-24"X48"



TITANIO L0,5X15 Δ 4

OTTONE L0,5X15 Δ 4

RAME L0,5X15 Δ 4





STCR DK36AG
30X60-12"X24"





CG


AG

Stone





Stone




STCR DK12G
60X120-24"X48"



TITANIO L0,5X15 Δ 4



OTTONE L0,5X15 Δ 4



STCR DK36G
30X60-12"X24"



RAME L0,5X15 Δ 4




STCR DK12DG
60X120-24"X48"



TITANIO L0,5X15 Δ 4

OTTONE L0,5X15 Δ 4




STCR DK36DG
30X60-12"X24"



RAME L0,5X15 Δ 4


G

DG



60X120-24"X48" 60X120-24"X48" 90X90-36"X36" 90X90-36"X36" 60X60-24"X24" 30X60-12"X24" 30X30-12"X12"

STCR 12G RM STCR1 12G RM STCR 90G RM STCR2 90G RM STCR 60G RM STCR 36G RM MK.STCR 30G






60X120-24"X48" 60X120-24"X48" 90X90-36"X36" 90X90-36"X36" 60X60-24"X24" 30X60-12"X24" 30X30-12"X12"

STCR 12DG RM STCR1 12DG RM STCR 90DG RM STCR2 90DG RM STCR 60DG RM STCR 36DG RM MK.STCR 30DG

Stoncrete

PEZZI SPECIALI

SPECIAL PIECES / PIÈCES SPÉCIALES / SONDERPREISE / PIEZAS ESPECIALES / СПЕЦИАЛЬНЫЕ ЭЛЕМЕНТЫ / 特制件



CG	STCR BT60CG	STCR BT90CG	STCR G120CG
AG	STCR BT60AG	STCR BT90AG	STCR G120AG
G	STCR BT60G	STCR BT90G	STCR G120G
DG	STCR BT60DG	STCR BT90DG	STCR G120DG

IMBALLI

PACKAGING / EMBALLAGES / VERPACKUNGEN / EMBALAJES / УПАКОВКИ / 包装

FORMATO NOMINALE NOMINAL SIZE	BORDO EDGE	SPESSORE THICKNESS	BOX			PALLET		
			PZ/BOX PCS/BOX	MO/BOX SM/BOX	KG/BOX KG/BOX	BOX/PALLET BOXES/PALLET	MO/PALLET SM/PALLET	KG/PALLET KG/PALLET
60X120-24°X48°	RECTIFIED	10	2	1,44	31,64	30	43,20	969,13
60X60-24°X24°	RECTIFIED	10	3	1,08	24,22	40	43,20	988,75
30X60-12°X24°	RECTIFIED	10	6	1,08	24,19	40	43,20	987,50
90X90-36°X36°	RECTIFIED	10	2	1,62	36,93	22	35,64	832,35
30X30-12°X12° MOSAIC	RECTIFIED	10	6	0,54	11,33	48	25,92	563,89

CARATTERISTICHE TECNICHE SPECIFICHE

TECHNICAL FEATURES SPECIFICATIONS / CARACTÉRISTIQUES TECHNIQUES SPÉCIFIQUE / TECHNISCHE EIGENSCHAFTEN
CARACTERÍSTICAS TÉCNICAS ESPECÍFICAS / ТРЕБУЕМЫЕ ТЕХНИЧЕСКИЕ ХАРАКТЕРИСТИКИ / 特殊技术规格

	DIN 51130 (R)	DIN 51097 (A+B+C)	BCR REP. CEC 6/81		DM 14/6/89 N. 236		PENDULUM TEST BS (INGLESE)	PENDULUM TEST AS/NZS 4856:2004 (AUSTRALIANO)	PENDULUM TEST UNE ENV 12633:2003 (SPAGNOLO)	BOT 3000 (DCOF)
			G.A.	G.B.	C.A.	G.B.				
STCR	R10	A+B	>0.4	>0.4	>0.4	>0.4	>36	>35	2	>0,42
STCR1-2	R10	B+C	>0.4	>0.4	>0.4	>0.4	>36	>45	3	>0,42



STCR1 12CG RM





10mm					20mm		
	60X120-24"x48"	90X90-36"x36"	60X60-24"x24"	30X60-12"x24"		60X120-24"x48"	60X60-24"x24"
CG	STCR R12CG RM	STCR R90CG RM	STCR R60CG RM	STCR R36CG RM	CG	STCR 12CG AS RM	STCR 60CG AS RM
AG	STCR R12AG RM	STCR R90AG RM	STCR R60AG RM	STCR R36AG RM			
G	STCR R12G RM	STCR R90G RM	STCR R60G RM	STCR R36G RM	G	STCR 12G AS RM	STCR 60G AS RM
DG	STCR R12DG RM	STCR R90DG RM	STCR R60DG RM	STCR R36DG RM	DG	STCR 12DG AS RM	STCR 60DG AS RM

10 PEZZI SPECIALI
SPECIAL PIECES / PIÈCES SPÉCIALES / SONDERPREISE / PIEZAS ESPECIALES / СПЕЦИАЛЬНЫЕ ЭЛЕМЕНТЫ / 特制件

	30X60-12"x24" △ 8	20X60X4-8"x24"x2" △ 6
CG	STCR S R60CG	STCR E R60CG
AG	STCR S R60AG	STCR E R60AG
G	STCR S R60G	STCR E R60G
DG	STCR S R60DG	STCR E R60DG

IMBALLI
PACKAGING / EMBALLAGES / VERPACKUNGEN / EMBALAJES / УПАКОВКИ / 包装

FORMATO NOMINALE NOMINAL SIZE	BORDO EDGE	SPESSORE THICKNESS	BOX			PALLET		
			PZ/BOX PCS/BOX	MQ/BOX SM/BOX	KG/BOX KG/BOX	BOX/PALLET BOXES/PALLET	MQ/PALLET SM/PALLET	KG/PALLET KG/PALLET
60X120-24"x48"	RECTIFIED	10	2	1,44	31,64	30	43,20	969,13
60X60-24"x24"	RECTIFIED	10	3	1,08	24,22	40	43,20	988,75
30X60-12"x24"	RECTIFIED	10	6	1,08	24,19	40	43,20	987,50
90X90-36"x36"	RECTIFIED	10	2	1,62	36,93	22	35,64	832,35

CARATTERISTICHE TECNICHE SPECIFICHE
TECHNICAL FEATURES SPECIFICATIONS / CARACTÉRISTIQUES TECHNIQUES SPÉCIFIQUE / TECHNISCHE EIGENSCHAFTEN
CARACTERÍSTICAS TÉCNICAS ESPECÍFICAS / ТРЕБУЕМЫЕ ТЕХНИЧЕСКИЕ ХАРАКТЕРИСТИКИ / 特殊技术规格

	DIN 51130 (R)	DIN 51097 (A+B+C)	BCR REP. CEC 6/81		DM 14/6/89 N. 236		PENDULUM TEST BS (INGLESE)	PENDULUM TEST AS/NZS 4856:2004 (AUSTRALIANO)	PENDULUM TEST UNE ENV 12633:2003 (SPAGNOLO)	BOT 3000 (DCOF)
			G.A.	G.B.	C.A.	G.B.				
STCR R	R11	B+C	>0.4	>0.4	>0.4	>0.4	>36	>45	3	>0,42
STCR AS	R11	B+C	>0.4	>0.4	>0.4	>0.4	>36	>45	3	>0,42

20 PEZZI SPECIALI
SPECIAL PIECES / PIÈCES SPÉCIALES / SONDERPREISE / PIEZAS ESPECIALES / СПЕЦИАЛЬНЫЕ ЭЛЕМЕНТЫ / 特制件

	SQUARE BORDER* costa lucida SQUARE BORDER* polished edge 60X60-24"x24" △ 2	GRADONE* costa lucida TERRACE* polished edge 33X60-13"x24" △ 4	GRADONE* costa lucida TERRACE* polished edge 33X120-13"x48" △ 2
CG	STCR SB60CG AS	STCR GR336CG AS	STCR GR120CG AS
G	STCR SB60G AS	STCR GR336G AS	STCR GR120G AS
DG	STCR SB60DG AS	STCR GR336DG AS	STCR GR120DG AS

	STEP righe costa lucida STEP stripes polished edge 30X60-12"x24" △ 4	ALZATA gocciolatoio RISE dripstone 20X60-8"x24" △ 4	ALZATA gocciolatoio RISE dripstone 20X120-8"x48" △ 2
CG	STCR S 60CG AS	STCR AZ60CG AS	STCR AZ120CG AS
G	STCR S 60G AS	STCR AZ60G AS	STCR AZ120G AS
DG	STCR S 60DG AS	STCR AZ60DG AS	STCR AZ120DG AS

	TOP gocciolatoio coste lucide TOP dripstone polished edges 30X60-12"x24" △ 4	BORDO PISCINA* costa lucida POOL EDGE* polished edge 30X60-12"x24" △ 4	GRIGLIA PISCINA* POOL GRILLE* 20X60-8"x24" △ 2
CG	STCR TOP60CG AS	STCR BP60CG AS	STCR GP60CG AS
G	STCR TOP60G AS	STCR BP60G AS	STCR GP60G AS
DG	STCR TOP60DG AS	STCR BP60DG AS	STCR GP60DG AS

IMBALLI
PACKAGING / EMBALLAGES / VERPACKUNGEN / EMBALAJES / УПАКОВКИ / 包装

FORMATO NOMINALE NOMINAL SIZE	BORDO EDGE	SPESSORE THICKNESS	BOX			PALLET		
			PZ/BOX PCS/BOX	MQ/BOX SM/BOX	KG/BOX KG/BOX	BOX/PALLET BOXES/PALLET	MQ/PALLET SM/PALLET	KG/PALLET KG/PALLET
60X120-24"x48"	RECTIFIED	20	1	0,72	33,15	30	21,60	1014,50
60X60-24"x24"	RECTIFIED	20	2	0,72	33,13	32	23,04	1080,27

* Angolari DX e SX disponibili a richiesta. / RH and LH angle bracket available on request. / Angulaires D et G disponibles sur demande. / Eckstücke links und rechts auf Anfrage erhältlich. / Cantoneras DCHA. e IZDA. disponibles bajo pedido. / Правый и Левый Угловые элементы доступны по запросу. / 可根据需求提供左转角和右转角。

I pezzi speciali ed i fondi possono presentare leggere differenze di tonalità fra di loro. / Special pieces and backgrounds can have slightly different shades from one another. / Les pièces spéciales et les fonds peuvent présenter de légères différences de tonalités entre elles. / Formteile und Grundrungen können untereinander leichte Farbabweichungen aufweisen. / Las piezas especiales y los fondos pueden presentar ligeras diferencias de tono. / Специальные и фоновые элементы могут немного отличаться по оттенку. / 一些特殊配件和底部可能会有轻微色差。

Il bordo può mostrare una piccola diversità cromatica fra la superficie ed il corpo del pezzo ceramico. / There can be a slight colour difference on the edge between the surface and the main ceramic piece. / Le bord peut présenter une légère différence entre la surface et le corps de la pièce en céramique. / Die Kante kann zwischen Oberfläche und Korpus des Keramiteils einen unterschiedlichen Farbton aufweisen. / El borde puede presentar ligeras diferencias cromáticas entre la superficie y el cuerpo de la pieza cerámica. / В кромках может появиться небольшая хроматическая разница между поверхностью и корпусом керамической детали. / 边缘的颜色可能与陶瓷产品主体和表面颜色稍有差别。

Stoncrete

texture



WALL TILE

BICOTTURA DA RIVESTIMENTO / DOUBLE CUISSON POUR REVÊTEMENT / ZWEIBRAND FÜR VERKLEIDUNG
DOBLE COCCIÓN DE REVESTIMIENTO / ПЛИТКА ДВОЙНОГО ОБЖИГА ДЛЯ ОБЛИЦОВКИ СТЕН / 墙面二次烧制砖

CONFORME / ACCORDING TO / CONFORME / KONFORM / CONFORME / СООТВЕТСТВУЕТ / 合格
UNI EN 14411 - L BIII



FORMATI

SIZES / FORMATS / FORMATE / FORMATOS / ФОРМАТЫ / 规格



30X60
12"X24"

SUPERFICI

SURFACES / SURFACES / OBERFLÄCHEN / SUPERFICIES / ПОВЕРХНОСТИ / 表面



N

N

N


COLORI

COLOURS / COULEURS / FARBEN / COLORES / ЦВЕТА / 颜色



CG

AG



G

DG







STCRWA 36CG RM
30X60-12*X24"



STCRWA 36AG RM
30X60-12*X24"



STCRWA 36G RM
30X60-12*X24"



STCRWA 36DG RM
30X60-12*X24"



STCRWA1 36CG RM
30X60-12*X24"



STCRWA1 36AG RM
30X60-12*X24"



STCRWA1 36G RM
30X60-12*X24"



STCRWA1 36DG RM
30X60-12*X24"



STCRWA2 36CG RM
30X60-12*X24"



STCRWA2 36AG RM
30X60-12*X24"



STCRWA2 36G RM
30X60-12*X24"



STCRWA2 36DG RM
30X60-12*X24"

IMBALLI

PACKAGING / EMBALLAGES / VERPACKUNGEN / EMBALAJES / УПАКОВКИ / 包装

FORMATO NOMINALE NOMINAL SIZE	BORDO EDGE	SPESSORE THICKNESS	BOX			PALLET		
			PZ/BOX PCS/BOX	MQ/BOX SM/BOX	KG/BOX KG/BOX	BOX/PALLET BOXES/PALLET	MQ/PALLET SM/PALLET	KG/PALLET KG/PALLET
30X60 -12*X24"	RECTIFIED	9,8	6	1,08	18,05	40	43,20	742,00
30X60 -12*X24" STRUCTURE	RECTIFIED	9,8 (11)	5	0,90	15,83	40	36,00	653,00