



ARIS

BASE / Black
120 x 120



REF: GOXE1MG161

Polished porcelain tile with a classic renovated design, a combination of contrasts

BASIC FEATURES

Composition	Polished Porcelain
Location	Marbles
Finish	Polished

REF GOXE1MG161

COLOURS/FINISHES



Black

ARTICLES

Ref	Product/Set	Measurements
GOXE1MG161	Aris Polished Black 120x120	120 x 120 x 0,7 cm

SUGGESTIONS



PRODUCT INFORMATION



Technical features

REFERENCE	GOXE1MG161
Model	Aris
TYPE OF PIECE	Base
Measurements	120 x 120 x 0,7 cm
Colour	Black
Finish	Polished
DEGREE OF SHADE VARIATION	Moderate V3 CTDA
Composition	Polished Porcelain
APPLICATION	floor
Location	Marbles
USE GROUP	IV Heavy traffic areas.
SLIP RESISTANCE (Pendulum)	Clase 0 ENV 12633
ADHESION	C-2 / 1 N/mm ² EN-12004:2007
RESISTANCE TO SCRATCHING	5 Mohs EN-101
RESISTANCE TO FLEXION	> 37 N/mm ² ISO-10545/4
STAIN RESISTANCE	5 ISO-10545/14
CHEMICAL RESISTANCE	GA-GLA ISO-10545/13

Features

Ceramic tiles, dry pressed, for internal and external floorings. And for external wall.

Guarantee

All Gala products are guaranteed against manufacturing defects from the date of purchase, providing the installation has been carried out according to Gala's installation instructions. Please verify the size, colour and quality of the product prior to application. No complaints will be accepted once the material has been applied.

Certificates

Quality has always been a constant for Gala in order to guarantee the technical and aesthetic features and the performance of our products. Please check the quality certificates of our products.

Installation

[More information.](#)

Maintenance

[More information.](#)

Composition/Finishes of the product

Polished Porcelain

Technical features

RESISTANCE TO SURFACE ABRASION It complies with Norm ISO-10545/6

WATER ABSORPTION $\leq 0,5\%$
ISO-10545/3

THICKNESS PIECE (mm) 7

Information for professionals

TECHNICAL DATASHEET:
[GOXE1MG161LMARISNEGROMC120X120.pdf](#)

Packaging. Packing list

BOX

Pieces	Kg	m ²
2	51,20	2,88

PALLET

Boxes	Kg	m ²
32	1.638,40	92,16

SETTING



