

NYUMA



L'interpretazione Mirage®
del cemento nella sua versione
più grezza.

The Mirage® interpretation of concrete in its
roughest version.



Floor
Torching NY 03 SP SQ
800x800 / 31½"x31½"

Wall
Torching NY 03 SP SQ
1200x2780 / 48"x110"

Vanity unit
BATHMOOD Glad Torching NY 03 SP

Seat
BATHMOOD Stay OUDH Pino OU 04 SP

Shower tray
BATHMOOD Appeal Torching NY 03 SP



Floor
Portland NY 02 SP SQ
1200x1200 / 48"x48"

Wall & Counter
Portland NY 02 SP SQ
1200x2780 / 48"x110"
REFLET Aurore RF 03 Antique
200x600 / 8"x24"

Il cemento, nella sua semplicità, è un materiale dalle molteplici sfaccettature estetiche e grafiche, capace di cambiare e mutare a seconda della sua base di calco ed appoggio.

Nyuma reinterpreta la composizione della classica colata in calcestruzzo faccia a vista, ispirandosi all'estetica del cassero, con chiaroscuri e movimenti, senza eccedere nel difetto.

In all its simplicity, concrete is a material with many aesthetic and graphic facets, able to change according to its mould and support.

Nyuma reinterprets the composition of the classic concrete casting, inspired by the aesthetics of the formwork, with contrasts without exceeding in its defects.

Per saperne di più
More information
www.mirage.it



Floor
Torching NY 03 ST SQ
800x800 / 31½"x31½"
EVO_2/E 20 mm

Segni grafici e contrasti decisi,
ma mai eccessivi.

Graphic marks and strong yet never
excessive contrasts.



Floor
Quicklime NY 01 SP SQ
1200x1200 / 48"x48"

Wall
Quicklime NY 01 SP SQ
1200x2780 / 48"x110"



NYUMA è proposta in tre tonalità di grigio ed è disponibile in 7 formati, che vanno dal 300x600 al 1200x1200 in 9 mm, oltre alla grande lastra in 1200x2780 in 6 mm di spessore.

La gamma si estende inoltre al mondo dell'outdoor con i formati 600x1200 e 800x800 in 20mm di spessore (Evo_2/E).

NYUMA comes in three shades of grey and 7 sizes, from 300x600 to 1200x1200, 9 mm thick, as well as the large slab 1200x2780, 6 mm thick. The range also includes outdoor proposals, in size 600x1200 and 800x800, 20 mm thick (Evo_2/E).



NYUMA

colori / colours



QUICKLIME
NY 01






PORTLAND
NY 02



TORCHING
NY 03

formati e superfici / sizes and finishes

	 Quicklime NY 01	 Portland NY 02	 Torching NY 03
± 6 mm			
1200x2780 / 48"x110"	SP	SP	SP
± 9 mm			
1200x1200 / 48"x48"	SP	SP	SP
800x800 / 31½"x31½"	SP	SP	SP
600x1200 / 24"x48"	NAT - SP	NAT - SP	NAT - SP
600x600 / 24"x24"	NAT	NAT	NAT
300x600 / 12"x24"	NAT	NAT	NAT
± 20 mm 			
600x1200 / 24"x48"	ST	ST	ST
800x800 / 31½"x31½"	ST	ST	ST

decori / decors

MOSAICO 36T 300x300 / 12"x12" NAT



NY 01



NY 02



NY 03

PORTNOY 300x300 / 12"x12" NAT



NY 01



NY 02



NY 03

JAPAN MIX 300x300 / 12"x12" NAT



NY 01+OU03

superfici / finishes

NAT Naturale / Natural

SP Spazzolata

ST Strutturata / Structured

